

Dr. Mohamed Helal had finished high school in 1988, Cairo, Egypt. He received his undergraduate education in Dentistry from 1988 to 1993 at the Faculty of Dentistry of Al-Azhar University, Cairo, Egypt. He had obtained the Bachelor Degree of Dentistry on May of 1993, also He obtained the Master's Degree of Prosthodontics on April of 2000. He had worked as Guest scientist (Visiting Research Associate Professor) from Oct. 2001- Dec. 2003 at the Department of Prosthodontics, Propaedeutics and Dental Materials, School of Dentistry, Schleswig-Holstein University Hospital, Germany, and obtained DMD degree from School of Dentistry, Schleswig-Holstein University Hospital, Germany. Also he had obtained Doctor's Degree of Removable Prosthodontics on Oct. of 2004. He is working now as Professor and Chairman of Removable Prosthodontic Department at Faculty of Dentistry of Al-Azhar University, Cairo, Egypt.

Email:

mhelal71@gmail.com

Research interest:

Complete Denture, Partial Denture, Tooth or/and Implant Overdenture. TMJ disorders research work, Biomaterial research work.

Publications:

- Helal MA, Baraka OA, Sanad ME, Ludwig K, Kern M: Effect of long term simulated RPD clasp attachment/detachment loss and wear for two clasp types and three abutment material surfaces. *J Prosthodont* 21;370-377:2012. **ISI indexed**

- Helal MA, Baraka OA, Sanad ME, Ludwig K, Khyary Y, Kern M: Effect of clasp design on retention at different intervals using different abutment materials and in a simulated oral condition. *J Prosthodont* . 2014;23:140-145. **ISI indexed**
- [Helal MA](#), [Hassan AH](#). Evaluation of lower facial heights as related to different anthropometric measurements in dentate and completely edentulous subjects. [Quintessence Int](#). 2016;47:51-60. **ISI indexed**
- M. Helal, M. Kern, M. E. E. Sanad and K. Ludwig: Retention of two types of clasp designs in long-term in-vitro study. *J Dent Res* 2005: Maryland , USA, Abstract 2916.
- Helal MA, Abd elsamd A, and Sanad MEE: Cephalometric evaluation for artificial occlusal plane in complete denture patients. *Al-Azhar Dent. Sc.* 2000; 20: 75-80.
- Walid S. Mohamed, Mostafa A. Yones, Mohamed A. Helal, Abd Elnasr M. Emam: The effect of different disinfection and sterilization methods on the accuracy and viscoelastic behaviour of rubber base impression material. *Al-Azhar Dent. Sc. Cairo, Egypt.* 2005; 8:239-249.
- Walid S. Mohamed, Mohamed A. Helal, Hasan M. Saker: The effect of the occlusal plane orientation methods on the masticatory performance of complete denture wearers. *Al-Azhar Dent. Sc. Cairo, Egypt.* 2006; 9:1-11.
- Gad MM, Helal MAM, Emam AM, Seif Elnassr MI: Effect of the microwave and reinforcement of repaired acrylic resin on some mechanical properties. *Al-Azhar Dent Sc* 2009, 12 : (1) 65-72.
- Gad MM, Helal MAM, Emam AM, Seif Elnassr MI : Effect of using different curing methods on water sorption and solubility of repaired acrylic resin denture base materials. *Al-Azhar Dent Sc* 2009, 12: (1) 73-79.
- Helal MAM, Sharkawy RTM, Abu-Shahaba R: The effect of changing of the occlusal scheme of implant supported mandibular overdenture on the electromyographic activity of the masseter and temporalis muscles. *Al-Azhar Dent. Sc. Cairo, Egypt.* 2008;11:365-372.
- Alsayed HAA, Helal MAM, Saker HM, Alkholy MRZ, Baraka OA: Comparison between bilateral balanced occlusion and canine guidance occlusion in mandibular implant overdentures. *Al-Azhar Dent. Sc. Cairo, Egypt.* 2009;12:272-278.

- Helal MA, Al OkalAB, AldharabA, Abu Hussain HK, Badr S: Study of pressure transmitted of maxillary overdentures with splinting and non-splinting abutments. *Al-Azhar J. of Dental Science*, 15;35-42:2012
- MI Fayad, MA Helal, S Abd-Elhady: Radiographic Evaluation of Mid-Symphyseal Single Immediate Loading Mandibular Implant Retained Overdenture with Different Occlusal Forms of Posterior Teeth. *Eg. Dent. J.* 2014;60; 4059-4065.
- Abd-Elrahman IA, Helal MA, Saqr HM, Abas M. Evaluation of Fatigue Resistance of Acetal Resin and Cobalt–Chromium Removable Partial Denture Clasps. An In-vitro Study: Part 1. *J Dent Oral Care Med* 2016;2(3): 304.
- Helal MA, Abd-Elrahman IA, Saqar HM, Salah A, Abas M. Evaluation of Acetal Resin and Cobalt–Chromium Clasp Deformation and Fatigue Resistance in Removable Partial Denture Clasps - An In Vitro Study. *J Clin Res Dent* 2018;1(1):1-5.
- Helal MAM, Abu-Shahaba R: Reliability of the craniofacial measurements in determination of VDO. *J Clin Res Dent* 2018;1(2):1-4.
- Y Khyaray, Al OkalAB, Abu Hussain HK, Helal MA: Stress analysis of two different designs of distal extension partial dentures with pier abutments. (A finite element analysis). *Eg. Dent. J.* 2015;61:1451-1457.
- Abd-Elrahman IA, Helal MA, Saqr HM, Abas M. Evaluation of Fatigue Resistance of Acetal Resin and Cobalt–Chromium Removable Partial Denture Clasps. An In-vitro Study: Part 1. *J Dent Oral Care Med* 2016;2(3): 304.
- Helal MA, Abd-Elrahman IA, Saqar HM, Salah A, Abas M. Evaluation of Acetal Resin and Cobalt–Chromium Clasp Deformation and Fatigue Resistance in Removable Partial Denture Clasps - An In Vitro Study. *J Clin Res Dent* 2018;1(1):1-5.